

08-23-06

A
JCS94 U.S. PTO
09/643207
08/21/00JCS94 U.S. PTO
09/643207
08/21/00

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. 2729.300

First Named Inventor or Application Identifier

PAUL N. WEINBERG, et al.

Express Mail Label No. EL582470245US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

1. Fee Transmittal Form
(Submit an original, and a duplicate for fee processing)

2. Specification Total Pages

3. Drawing(s) (35 USC 113) Total Sheets

4. Patent Application Bibliographic Data Sheet Total Sheets

ADDRESS TO:Commissioner for Patents
Box Patent Application
Washington, DC 20231

7. Microfiche Computer Program (Appendix)

8. Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)

a. Computer Readable Copy

b. Paper Copy (identical to computer copy)

c. Statement verifying identity of above copies

5. Oath or Declaration Total Pages

a. Newly executed (original or copy)

b. Unexecuted for information purposes

c. Copy from a prior application (37 CFR 1.63(d))
(for continuation/divisional with Box 18 completed)
[Note Box 6 below]

i. **DELETION OF INVENTOR(S)**
Signed Statement attached deleting inventor(s)
named in the prior application, see 37 CFR
1.63(d)(2) and 1.33(b).

6. Incorporation By Reference (useable if Box 5c is checked)
The entire disclosure of the prior application, from which a copy of the
oath or declaration is supplied under Box 5c, is considered as being
part of the disclosure of the accompanying application and is hereby
incorporated by reference therein. The incorporation can only be
relied upon when a portion has been inadvertently omitted from the
submitted application parts.

ACCOMPANYING APPLICATION PARTS

9. Assignment Papers (cover sheet & document(s))

10. 37 CFR 3.73(b) Statement
(when there is an assignee) Power of Attorney

11. English Translation Document (if applicable)

12. Information Disclosure Statement (IDS)/PTO-1449 Copies of IDS Citations

13. Preliminary Amendment

14. Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)

15. Copy of Small Entity Statement Statement filed in
prior application
Status still proper and
desired

16. Certified Copy of Priority Document(s)
(if foreign priority is claimed)

17. Other: _____

18. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

Continuation Divisional Continuation-in-part (CIP) of prior application No. _____/_____
Prior application information: Examiner _____ Group/Art Unit: _____

19. CORRESPONDENCE ADDRESS

<input checked="" type="checkbox"/> Customer Number or Bar Code Label	05514 (Insert Customer No. or Attach bar code label here)		<input type="checkbox"/> or <input type="checkbox"/> Correspondence address below
NAME			
Address			
City	State	Zip Code	
Country	Telephone	Fax	

+

CLAIMS	(1) FOR	(2) NUMBER FILED	(3) NUMBER EXTRA	(4) RATE	(5) CALCULATIONS
	TOTAL CLAIMS (37 CFR 1.16(c))	24 -20 =	4	X \$ 18.00 =	\$72.00
	INDEPENDENT CLAIMS (37 CFR 1.16(b))	3 -3 =	0	X \$ 78.00 =	- 0 -
	MULTIPLE DEPENDENT CLAIMS (if applicable) (37 CFR 1.16(d))			\$260.00 =	None
				BASIC FEE (37 CFR 1.16(a))	\$690.00
				Total of above Calculations =	\$762.00
	Reduction by 50% for filing by small entity (Note 37 CFR 1.9, 1.27, 1.28).				\$381.00
				TOTAL =	\$381.00

20. Small entity status


- A small entity statement is enclosed
- A small entity statement was filed in the prior provisional application and such status is still proper and desired (copy enclosed).
- Is no longer claimed.

21. A check in the amount of \$381.00 to cover the filing fee is enclosed.

22. A check in the amount of \$ _____ to cover the recordal fee is enclosed.

23. The Commissioner is hereby authorized to credit overpayments or charge the following fees to Deposit Account No. 06-1205:


- Fees required under 37 CFR 1.16.
- Fees required under 37 CFR 1.17.
- Fees required under 37 CFR 1.18.

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT REQUIRED	
NAME	Carole A. Quinn, Reg. No. 39,000
SIGNATURE	
DATE	August 21, 2000

CA_MAIN 7820 v 1

"Express Mail" mailing label number EL 58247024508Date of Deposit August 21, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D. C. 20231.


 (Typed or printed name of person mailing paper or fee)

 (Signature of person mailing paper or fee)

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**STATEMENT CLAIMING SMALL ENTITY STATUS
(37 CFR 1.8(f) & 1.27(c)) - SMALL BUSINESS CONCERN**

Docket Number (Optional)
9407-0F861US0

Applicant, Patentee, or Inventor: David E. Brookler, et al

Application or Patent No.:

Filed or issued: AUGUST 1, 1999

Title: Method and System for Efficient Structuring, Storing and Searching of Data in an RDBMS

I hereby state that I am:

the owner of the small business concern identified below.
 an official of the small business concern empowered to act on behalf of the concern identified below.

NAME OF SMALL BUSINESS CONCERN A2i, Inc.

ADDRESS OF SMALL BUSINESS CONCERN 1925 Century Park East, Suite 255,
Los Angeles, California 90067-2703

I hereby state that the above identified small business concern qualifies as a small business concern as defined in 13 CFR Part 121 for purposes of paying reduced fees to the United States Patent and Trademark Office. Questions related to size standards for a small business concern may be directed to: Small Business Administration, Size Standards Staff, 409 Third Street, SW, Washington, DC 20416.

I hereby state that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention described in:

the specification filed herewith with title as listed above.
 the application identified above.
 the patent identified above.

If the rights held by the above identified small business concern are not exclusive, each individual, concern, or organization having rights in the invention must file separate statements as to their status as small entities, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern, or organization having any rights in the invention is listed below:

no such person, concern, or organization exists.
 each such person, concern, or organization is listed below.

Separate statements are required from each named person, concern or organization having rights to the invention stating their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

NAME OF PERSON SIGNING Paul N. Weinberg

TITLE OF PERSON IF OTHER THAN OWNER Vice President

ADDRESS OF PERSON SIGNING 2160 Century Park East, #1805, LA, CA, 90067

SIGNATURE Paul N. Weinberg DATE 8/17/99

INVENTOR INFORMATION


Inventor One Given Name:: Paul N.
Family Name:: Weinberg
Postal Address Line One:: 2160 Century Park East
Postal Address Line Two:: Apartment 1905
City:: Los Angeles
State or Province:: California
Country:: United States
Postal or Zip Code:: 90067
City of Residence:: Los Angeles
State or Province of Residence:: California
Country of Residence:: United States
Citizenship Country:: United States

Inventor Two Given Name:: Dave L.
Family Name:: Sullivan
Postal Address Line One:: 5055 Bakman Avenue
Postal Address Line Two:: Apartment 101
City:: North Hollywood
State or Province:: California
Country:: United States
Postal or Zip Code:: 91601
City of Residence:: North Hollywood
State or Province of Residence:: California
Country of Residence:: United States
Citizenship Country:: United States

Inventor Three Given Name:: Philip A.
Family Name:: Tinari
Postal Address Line One:: 9649 Olympic Boulevard
Postal Address Line Two:: Apartment 5A
City:: Beverly Hills
State or Province:: California
Country:: United States
Postal or Zip Code:: 90212
City of Residence:: Beverly Hills
State or Province of Residence:: California
Country of Residence:: United States
Citizenship Country:: United States

"Express Mail" mailing label number EL582470245US
Date of Deposit August 21, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D. C. 20231.


(Type or printed name of person mailing paper or fee)

(Signature of person mailing paper or fee)

Inventor Four Given Name:: David E.
Family Name:: Brookler
Postal Address Line One:: 1700 South Shenandoah Street
City:: Los Angeles
State or Province:: California
Country:: United States
Postal or Zip Code:: 90035
City of Residence:: Los Angeles
State or Province of Residence:: California
Country of Residence:: United States
Citizenship Country:: United States

Inventor Five Given Name:: Ariel
Family Name:: Hazi
Postal Address Line One:: 11963 Victoria Avenue
City:: Los Angeles
State or Province:: California
Country:: United States
Postal or Zip Code:: 90066
City of Residence:: Los Angeles
State or Province of Residence:: California
Country of Residence:: United States
Citizenship Country:: United States

CORRESPONDENCE INFORMATION

Correspondence Customer Number:: 05514
Fax:: (212) 218-2200

APPLICATION INFORMATION

Title Line One:: DATA EDITING AND VERIFICATION USER INTERFACE

Total Drawing Sheets:: 4
Formal Drawings?:: Yes
Application Type:: Utility
Docket Number:: 2729.300
Secrecy Order in Parent Appl.?:: No

REPRESENTATIVE INFORMATION

Representative Customer Number:: 5514

PRIOR APPLICATIONS

Priority Claimed:: Yes

CA_MAIN 7908 v 1

"Express Mail" mailing label number E158247024505

Date of Deposit August 21, 2007

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 110 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D. C. 20231.

Carole A. Quinn
(Typed or printed name of person mailing paper or fee)

Carole A. Quinn
(Signature of person mailing paper or fee)

DATA EDITING AND VERIFICATION USER INTERFACE

This application claims the benefit of U.S. Provisional Application No. 60/149,855, filed August 5 19, 2000.

BACKGROUND OF THE INVENTION

Field Of The Invention

10 The present invention relates to a user interface for use in editing and verification of data, and, more particularly, to a user interface for use in editing and verifying data values wherein a format encoding is used for the values in the user interface to reflect characteristics of the underlying data used to populate the user interface.

15

Description Of The Related Art

A DBMS (Database Management System) is used to manage data and is comprised of computer-executable code that may be used to define the structure of data and to access data within the defined structure. One example of a DBMS is a relational DBMS, or RDBMS. An RDBMS manages tables that make up a relational database as well as the data contained in the tables. In an RDBMS, data is organized in rows (or records) and columns (or fields) of the tables, and two or more tables may be related based on like data values. The intersection of a row and column in a table is referred to as a cell and contains the data value for a particular field of a particular record.

A DML (data manipulation language) such as SQL (Structured Query Language) is typically used to store, retrieve and modify data in a table. A schema defines the structure of a database, i.e., each table and the fields within a record of a table. A schema is itself considered data that is stored in one or more tables. Therefore, like other data in a database, a DML may be used to store, retrieve and modify the data in the database as well as the structure of a database.

Most database management systems use convenient data entry forms to allow a user to add or modify a single database record at a time. A problem arises when attempting either to edit multiple records simultaneously or to verify that a particular field has the same data value in a large number of records.

The traditional method of adding or modifying records in an RDBMS is to use a data entry form to view and edit a single record at a time, where each field in the database corresponds to a single field in the form. When adding a new record, the fields in the form are empty, to be filled in from scratch by the user. When modifying an existing record, the RDBMS places the existing values of the record into each of the fields of the form, and any or all of them can be modified by the user.

Some systems extend this scheme to allow the user to indicate that a change to the value in a particular field be further applied to all of the records in a previously selected set of records. A problem is that the single control for each field in the data entry form can display only a single value at a time, which makes it impossible for the user to easily determine before applying the change whether or not the existing data values for the field are all the same across the entire set of records.

Many systems allow the user to view and edit multiple records simultaneously by offering a row/column tabular view of the records in a table.

25 The advantage of this approach is that multiple values for each field can be displayed simultaneously, and the user can quickly eyeball all the values for a field across the entire set of records by examining the contents of a particular

30 column.

5 An advantage of this approach is that multiple values for each field can be displayed simultaneously, and the user can quickly view all the values for a field across the entire set of records by examining the contents of a particular column.

10 This approach works well when the number of records is small. When the number is larger than what can be displayed on a computer monitor at the same time, the user must browse through the entire record set. When the number of records is very large (for example, hundreds or even thousands of records), browsing through the record set is impractical and, for all intents and purposes, may 15 be impossible.

20 Thus, it would be beneficial to have a mechanism to edit and/or verify any size or amount of data that may or may not include diverse data values while minimizing the need to browse through an entire record set to identify data values.

SUMMARY OF THE INVENTION

25 The present invention addresses the foregoing problems and provides a user interface for simultaneous display of a tabular and form view of data records and setting appearance characteristics of a value displayed in the user interface to reflect characteristics of the underlying data (i.e., the data records). For example, the present 30 invention provides for displaying multiple disparate values in a single control (e.g., a display field of

the user interface), and using different formatting codes (e.g., color coding) for the values based on the characteristics of the underlying data (e.g., whether there are empty values or multiple values in the data records).

In an aspect of the present invention, a method of displaying record data in a user interface is provided that comprises displaying a tabular portion of the user interface comprising plural data records, displaying a form portion of the user interface comprising a display field that corresponds to a field of the plural data records, determining whether to place a value in the display field, and formatting a value in the display field to reflect characteristics of the data contained in the plural data records.

Thus, the user can select some or all of a large set of records and determine from the representation of a value in the data entry form whether or not conflicts exist in the underlying data (i.e., the data from the set of selected data records) and in so doing, quickly verify that the values have been properly set.

This brief summary has been provided so that the nature of the invention may be understood quickly. A more complete understanding of the invention can be obtained by reference to the following detailed description of the preferred embodiment(s) thereof in connection with the attached drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is an outward view of a hardware environment embodying the present invention.

Fig. 2 is a block diagram of the internal architecture of a typical computer for use in conjunction with the present invention.

Fig. 3 illustrates a user interface according to the present invention.

Fig. 4 provides a diagram of process steps for generating user interface 300 and responding to a selection of records of tabular display according to the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Fig. 1 is an outward view of representative computing hardware embodying the present invention. Shown in Fig. 1 are computer 10 executing an operating system, display monitor 11 for displaying text and images to a user, keyboard 14 for entering text and commands into computer 10, and mouse 12 for manipulating and for selecting objects displayed on display monitor 11, or for output to an output device such as printer 16. Also

100-120-200-200-200

included with computer 10 are fixed disk drive 6, in
which are stored application programs, such as a
DBMS and other applications, data files, and device
drivers for controlling peripheral devices attached
5 to computer 10, floppy disk drive 15 for use in
reading data from and writing data to floppy disks
inserted therein. Data and/or applications may also
be accessed from a CD-ROM via a CD-ROM drive (not
shown) or over a network to which computer 10 may be
10 connected (network connection not shown).

Fig. 2 is a block diagram of the internal
architecture of computer 10. Shown in Fig. 2 are
CPU 20, which may be any microprocessor including,
but not limited to, a Pentium-type microprocessor,
15 interfaced to computer bus 21. Also interfaced to
computer bus 21 are printer interface 25, to allow
computer 10 to communicate with printer 16, modem
interface 29 to enable communications between
computer 10 and a modem, display interface 27 for
20 interfacing with display monitor 11, keyboard
interface 28 for interfacing with keyboard 14, mouse
interface 23 for interfacing with mouse 12, and
network interface 26 for connecting to a network
(e.g., Internet, intranet, local area network,
25 etc.).

Read only memory (ROM) 24 stores invariant
computer-executable process steps for basic system
functions such as basic I/O, start up, or reception
of keystrokes from keyboard 14.

30 Main random access memory (RAM) 30
provides CPU 20 with memory storage which can be

accessed quickly. In this regard, computer-executable process steps of a DBMS or other application are transferred from disk 6 over computer bus 21 to RAM 32 and executed therefrom by
5 CPU 20.

Also shown in Fig. 2 is disk 6 which, as described above, includes a windowing operating system, a DBMS which includes data stored therein as well as schema and data stored in one or more tables
10 defined in the schema. Further, disk 6 may be used to store executable-code (e.g., stored procedures) comprising steps described herein for simultaneous display of a tabular and form view of data records and color encoding values. Disk 6 further includes
15 data files and device drivers as shown.

The present invention provides a user interface for displaying record data wherein a tabular display portion displays plural data records. A form portion of the user interface comprises a display field corresponding to one of the plural data records. A value placed in the display field is encoded using a formatting or encoding scheme to reflect, or identify, characteristics of the data contained in the plural
20 data records.
25

Thus, it is possible to achieve the benefits of both a tabular display and a form display as well as a status of some or all of the data in the tabular display within fields of the
30 form display.

The present invention is described herein with reference to a color encoding scheme for use in a user interface. However, it should be apparent that any type of formatting and/or encoding may be used to visually identify characteristics of data used to populate fields of the user interface. For example, color, font size, font type, bold, italic, underline, etc. formatting may be used in any combination to uniquely identify a characteristic of the underlying data.

When the user selects multiple records from the tabular view, each field in the data entry form is populated with one or more colored data values to reflect characteristics of the values that exist in the selected records.

In a preferred aspect of the present invention, if none of the selected records have a value set for the field, the field is left blank. If all the records have the same value set, the common value is placed into the field in black, which indicates that the corresponding value in the selected records are set to the same value. If all the records have either the same value or no value set, that value is placed into the field in blue, which indicates that all records are set to the same value or not set at all. If multiple values are set for the field, "n" number of the values are placed into the field in red, which indicates that the records are set to different values, where "n" may be all or some number of the different values.

Color thus highlights difference and sameness of the values for a field across the entire record set without concern for the values themselves. In this way, the user can select some 5 or all of a large set of records and determine from the color coding in the data entry form whether or not conflicts exist in the data and in so doing, quickly verify that the values have been properly set.

10 A user interface example is provided that includes a form display and a tabular display. Preferably, the form and tabular displays are displayed simultaneously. However, it is possible to display them at different times as well.

15 Fig. 3 illustrates a user interface according to the present invention. User interface 300 includes a form display 301 and a tabular display 302. User interface 300 is depicted using an exemplary layout. However, it should be apparent that any layout may be used for user interface 300. 20 Further, while not depicted in user interface 300, tabular display 302 may be modified to provide a scrolling capability to display additional records or fields of the records.

25 Tabular display 302 includes entries 320 through 324 that display data from plural records (e.g., records from a relational database). However, the data displayed in user interface 300 may be obtained from any source (e.g., a file 30 system, etc.) Fields 310 through 315 of tabular

display 302 contain values retrieved from the plural data records.

Form display 301 includes fields 331 through 336 for displaying values from records 320 through 324 (i.e., fields 310 through 315, respectively). Fields 331 through 336 may display values from one or more of data records 320 through 324, or be blank. Further, fields 331 through 336 may be display-only or update fields.

Fig. 4 provides a diagram of process steps for generating user interface 300 and responding to a selection of records of tabular display according to the present invention.

At step S401, the record data used to populate tabular display 302 are retrieved based on a selection criteria (e.g., selection criteria specified by the user of the user interface). At step S402, tabular display 302 is populated with the retrieved data.

Forms display 301 is populated with data from records selected from tabular display 302. Thus, upon selection of one or more records from tabular display 302, steps S403 through S413 are performed to generate forms display 301.

Forms display 301 displays one or more fields that are populated with data from the selected records. Each one of the fields in display 301 is processed to determine a format for the value, or values, to be displayed in the field. Therefore, at step S403, a determination is made whether all of the fields in forms display 301 have been processed. If so, processing ends at step S405.

If not, processing continues at step S406 to process the next field. At step S407, a determination is made whether any values have been set in the selected record fields (i.e., the fields from each of the selected records that correspond to the current display field) that corresponds to the current field of form display 301. If not, processing continues at step S403 to leave the display field blank. Processing continues at step S403 to process any remaining fields.

If it is determined, at step S407, that there is at least one value set in the selected record fields corresponding to the display field, processing continues at step S409. At step S409, a determination is made whether the values set in the selected record field(s) are the same. If so, processing continues to output the common value in the display field in black at step S410, and processing continues at step S403 to process any remaining display fields.

If it is determined, at step S409, that the selected records do not have a common value,

processing continues at step S411. At step S411, a determination is made whether some of the selected record fields do not contain a value and those that do share the same value. If so, processing 5 continues at step S412 to output the shared value in blue in the display form, and processing continues at step S403 to process any remaining display fields.

If it is determined that none of the 10 criteria of steps S408, S409 and S411 are satisfied by the selected record fields, processing continues at step S413. That is, it is assumed that the selected record fields contain multiple, disparate values. In such a case, at step S413, "n" number of 15 the values of the selected records field are displayed in the display field in red.

The number "n" (i.e., some or all of the values) values displayed in the display field may be determined by the size of the display field, the 20 number of disparate values, etc. The size of the display field may be increased by providing a scrolling capability for scrolling through the values displayed in the display field. The selection of the values that are displayed may be 25 determined by a preset criteria, or based on the values contained in the selected record fields. For example, the values selected may be based on the number of times a value appears in the record fields.

30 Assuming that all of records 320 through 324 are selected, display fields 331 through 336 are

populated with blank, red, blue and black values as follows.

Since there are multiple values in fields 311 and 312, some number "n" of the values are displayed in display fields 332 and 331 (respectively) in red. The common value from field 313 is displayed in display field 334 in black. The value of records 322 and 324 is displayed in display field 335 in blue. Display field 336 is left blank.

Thus, it is possible for the user to quickly and easily ascertain the characteristics of the data contained in the selected records without the need to browse the data and examine each the records and the fields within the records to determine whether none or more values are set for a given field and/or some or all of the multiple values used in the fields. Such information may be used to easily assess whether or not to apply a change made in a display field of display form 301 to each of the data records, for example. Using the present invention, for example, it is easy for a user to determine, before applying the change to each of the data records, whether or not the existing data values for the field are all the same across the entire set of records.

In this regard, the invention has been described with respect to particular illustrative embodiments. However, it is to be understood that the invention is not limited to the above-described embodiments and that various changes and modifications may be made by those of ordinary skill

in the art without departing from the spirit and the scope of the invention.

WHAT IS CLAIMED IS:

1. A method of displaying record data in a user interface comprising:

5 displaying a tabular portion of the user interface comprising plural data records;

displaying a form portion of the user interface comprising a display field that corresponds to a field of the plural data records;

10 determining whether to place a value in the display field; and

formatting a value in the display field to reflect characteristics of the data contained in the plural data records.

15 2. A method according to Claim 1, wherein formatting a value in the display field further comprises:

20 formatting a value for display using a first format when it is determined that the plural records share the same value;

25 formatting a value for display using a second format when it is determined that a portion of the plural records include a common value and a remaining portion of the plural records have no value;

formatting multiple values using a third format when it is determined that the plural records include multiple values; and

30 displaying a blank value when it is determined that none of the plural records include a value.

CONFIDENTIAL

3. A method according to Claim 2,
wherein the first format is a color of black.

5 4. A method according to Claim 2,
wherein the second format is a color of blue.

5. A method according to Claim 2,
wherein the third format is a color of red.

10 6. A method according to Claim 2,
wherein "n" of the multiple values are displayed in
the display field.

15 7. A method according to Claim 6,
wherein "n" is the total number of multiple values.

8. A method according to Claim 6,
wherein "n" is less than the total number of
multiple values.

20 9. A computer-readable memory medium in
which computer-executable process steps are stored,
the process steps for displaying record data in a
user interface, wherein the process steps comprise:

25 a displaying step to display a tabular
portion of the user interface comprising plural data
records;

30 a displaying step to display a form
portion of the user interface comprising a display
field that corresponds to a field of the plural data
records;

a determining step to determine whether to place a value in the display field; and

5 a formatting step to format a value in the display field to reflect characteristics of the data contained in the plural data records.

10

10. A computer-readable medium according to Claim 9, wherein formatting step to format a value in the display field further comprises:

a formatting step to format a value for display using a first format when it is determined that the plural records share the same value;

15

a formatting step to format a value for display using a second format when it is determined that a portion of the plural records include a common value and a remaining portion of the plural records have no value;

20

a formatting step to format multiple values using a third format when it is determined that the plural records include multiple values; and

25 a displaying step to display a blank value when it is determined that none of the plural records include a value.

25

11. A computer-readable medium according to Claim 10, wherein the first format is a color of black.

12. A computer-readable medium according to Claim 10, wherein the second format is a color of blue.

5 13. A computer-readable medium according to Claim 10, wherein the third format is a color of red.

10 14. A computer-readable medium according to Claim 10, wherein "n" of the multiple values are displayed in the display field.

15 15. A computer-readable medium according to Claim 14, wherein "n" is the total number of multiple values.

20 16. A computer-readable medium according to Claim 14, wherein "n" is less than the total number of multiple values.

25 17. Computer-executable process steps stored on a computer-readable medium, the process steps for displaying record data in a user interface, wherein the process steps comprise:

code to display a tabular portion of the user interface comprising plural data records;

code to display a form portion of the user interface comprising a display field that corresponds to a field of the plural data records;

30 code to determine whether to place a value in the display field; and

09642620000000000000000000000000

code to format a value in the display field to reflect characteristics of the data contained in the plural data records.

5 18. Computer-executable process steps according to Claim 17, wherein the code to format a value in the display field further comprises:

10 code to format a value for display using a first format when it is determined that the plural records share the same value;

15 code to format a value for display using a second format when it is determined that a portion of the plural records include a common value and a remaining portion of the plural records have no value;

20 code to format multiple values using a third format when it is determined that the plural records include multiple values; and

25 code to display a blank value when it is determined that none of the plural records include a value.

19. Computer-executable process steps according to Claim 18, wherein the first format is a color of black.

20. Computer-executable process steps according to Claim 18, wherein the second format is a color of blue.

21. Computer-executable process steps according to Claim 18, wherein the third format is a color of red.

5 22. Computer-executable process steps
according to Claim 18, wherein "n" of the multiple
values are displayed in the display field.

23. Computer-executable process steps
10 according to Claim 22, wherein "n" is the total
number of multiple values.

24. Computer-executable process steps according to Claim 22, wherein "n" is less than the total number of multiple values.

ABSTRACT

The present invention provides for simultaneous display of a tabular and a form view of the records, (b) displaying multiple disparate values in a single control, and (c) formatting the values based on characteristics of the records.

5 CA_MAIN 7913 v1




Fig. 1




Fig. 2

300 301 302 303 304 305 306 307 308 309




Fig. 3




Fig. 4